

# DIE GRINDERS(SPECIFICATIONS)



MODEL NO.	Avg. Air Consumption m <sup>3</sup> /min (CFM)	Max. Air Consumption m <sup>3</sup> /min (CFM)	Output (Watt )	Vibration (m/S <sup>2</sup> )	Noise Level d B pressure(power)	Weight Body (gs)	Overall Length (mm)	Height (mm)	Width (mm)	Air Inlet Size (NPT)	Hose Size mm (in)	Free Speed (r.p.m)	Collet Size mm (in)
SI-2001S	0.08 (3)	0.39 (14)	160	< 2.5	86 (98)	369	151	34	34	1/4	6 (1/4)	25,000	6.35 (1/4)
SI-2002	0.08 (3)	0.46 (16)	219	< 2.0	86 (98)	375	153	62	36	1/4	6 (1/4)	25,000	6.35 (1/4)
SI-2005	0.09 (4)	0.39 (14)	170	< 2.3	88 (101)	500	157	75	36	1/4	6 (1/4)	20,000	6.35 (1/4)
SI-2006S	0.07 (3)	0.36 (13)	160	< 2.5	86 (98)	495	156	34	34	1/4	6 (1/4)	18,000	6.35 (1/4)
SI-2011S	0.11 (4)	0.53 (19)	380	< 2.5	86 (98)	595	171	40	40	1/4	6 (1/4)	22,000	6.35 (1/4)
SI-2012	0.17 (6)	0.68 (24)	388	< 2.5	92 (105)	596	170	67	44	1/4	6 (1/4)	22,000	6.35 (1/4)
SI-2015A	0.10 (4)	0.50 (18)	380	< 2.5	89 (100)	822	210	44.5	44.5	1/4	10 (3/8)	4,500	6.35 (1/4)
SI-2016	0.08 (3)	0.30 (11)	108	< 2.5	86 (99)	474	174	48	39	1/4	10 (3/8)	5,000	6.35 (1/4)
SI-2022S	0.14 (5)	0.71 (25)	520	< 2.5	87 (97)	1,131	327	41.5	41.5	1/4	10 (3/8)	20,000	6.35 (1/4)